## PATENT ABSTRACTS OF JAPAN

(11)Publication number:

60-247250

(43)Date of publication of application: 06.12.1985

(51)Int.CI.

G03G 9/08

(21)Application number: 59-101818

(71)Applicant: KONISHIROKU PHOTO IND CO

LTD

(22)Date of filing:

22.05.1984

(72)Inventor: KASUYA RYUHEI

KOIZUMI FUMIO TAKAHASHI JIRO

## **(54) TONER**

## (57)Abstract:

PURPOSE: To prevent adhesion between the toner of an obtained copy and the cover made of a resin during its storage in the cover by incorporating a polyester resin comprising a tervalent or a higher valent multifunctional structural component and an epoxy resin as a binder, and a surface lubricant agent in the toner.

CONSTITUTION: The intended toner can be obtained by mixing an alcohol monomer, such as ethylene glycol, and a carboxylic acid, such as maleic acid, so as to incorporate at least one kind of tervalent or higher-valent component selected from either group, such as sorbitol or 1,2,4-benzenetricarboxylic acid; polymerizing the obtained monomer mixture to prepare a polyester resin; mixing this polyester and an epoxy resin, such as a bisphenol A type epoxy resin, in an amt. of epoxy resin of 10W90wt% of the total resin to form a binder resin, and further, blending the surface lubricant, such as olefin type waxes, stearic acid and a colorant, additives, etc., with this binder.

## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]